

DUNAVOX
THE WINE COOLING EXPERT



DUNAVOX AROUND THE WORLD

DUNAVOX AROUND THE WORLD



MORE THAN
40
COUNTRIES AROUND THE WORLD

MORE THAN
100
MODELS

10
PRODUCT FAMILIES

A VISION OF GLOBAL REACH

For almost twenty years, the award winning wine cooler brand, Dunavox, has been associated with the professional storage and cooling solutions for wine. Dunavox has been at the forefront of development and is known for minimalistic yet functional design character, practical internal layout, state-of-the-art technology enabling them to make highly energy efficient and reliable products. As a result of recent continued business expansion, Europe's largest range of over 50 different premium wine coolers is now available through its network of global distributors but also five separate Dunavox subsidiaries (GB, ES, IT, BNL, DE) – all providing high quality assistance, technical support and after-sales service.

DUNAVOX Kft., Hungary - Headquarters

2151 Fót, Fehérkő utca 8/B
Phone: +36 27 594 054
Email: info@dunavox.com

DUNAVOX Deutschland GmbH, Germany

84056 Rottenburg Dieselstrasse 34
Phone: +49 8781 2014130
Email: deutschland@dunavox.com

DUNAVOX Benelux B.V., The Netherlands

Sofiapad 6 3542 EV, Utrecht
Phone: +31 0 307430230 , WhatsApp: +31 6 15444081
Email: nederland@dunavox.com, belgie@dunavox.com

DUNAVOX Italia s.r.l, Italy

31031 Caerano di San Marco
Phone: +39 0423 650022
Email: info@dunavox.it

DUNAVOX GB Ltd., The United Kingdom

Unit 3 Central Trading Estate, Chester, CH4 8SX
Phone: 01244 681 369
Email: sales.gb@dunavox.com

DUNAVOX Iberia sl, Spain

08402 Granollers-Barcelona, C/ Pallars 6, planta 7ª
Phone: +34 938 700 895
Email: iberia@dunavox.com

DUNAVOX Poland Business Development Team, Poland

Phone: +48 604 405 804, +48 661 955 506
Email: kontakt.polska@dunavox.com



DUNAVOX KEY FEATURES

SINGLE AND DUAL TEMPERATURE ZONES

Dunavox wine coolers are available with one or two cooling zones. Configuring the desired temperature is easy at single, dual or even three cooling zone wine coolers.



VARIOUS DOOR/ FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style or colour.



PUSH-TO-OPEN

Gently push the door to access the bottles inside, in keeping with the handleless kitchen trend.



FRONT GRILLE VENTILATION


The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly.

If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.




INTEGRATED DOOR LOCK

Child-safe lock prevents unauthorized access to contents and temperature controls; suitable for either home or commercial restaurant use. All lockable wine coolers will lock from the bottom (REMOVE and use regular padlock style keys to keep the wines secure). Most wine coolers will come with two keys and most wine cabinet owners will opt to carry one and keep another in a safe place in their home.




DOOR HANDLE

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.



INTEGRATED VENTILATION SYSTEM

Simple to install without a plinth vent; allowing integrated coolers to be installed undercounter, maintaining the lines of the kitchen.



MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.



HIDDEN HANDLE DOOR

In keeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.



DUNAVOX KEY FEATURES

TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.



LABEL VIEW SHELVES

Designed specifically for larger bottles, the optimal distance between the shelves fits comfortably with the champagne & prosecco bottles. Bottles are supported on patented display shelves. Bottle capacity and shelf distance is based on standard shaped champagne bottles, dimensions listed above (750ml 310x85mm).




TFT TOUCH SCREEN

The latest technology in home appliances, swipe through the settings menu just like your mobile phone; change settings from your mobile phone and set the temperature with the full colour screen.




LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.



LCD TOUCH SCREEN

Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.




OVERLAY PANEL

Overlay panel door option allows you to hide the wine cooler completely with furniture. The same furniture panel can be attached to the winecooler as the kitchen furniture has been made of.



OUTDOOR PLACEMENT

Dunavox wine coolers are intended to use indoors, however if you follow a few conditions the units can also be used outdoors. Keep the fridge out of direct sunlight, and install it in a covered area protected from rain. Do not keep the unit outside when the ambient temperature fall below 18°C. (Lets cover ourselves, heating wise)



INSTALLATION/ PLACEMENT

It's an easy to handle range. The capacity is on a wide scale from 16 to 50 bottles. These coolers can't be built-in or place under a counter. Only the freestanding installation is allowed because these coolers don't have a regular front grid where the ventilation can be done. For proper functioning the units require free space around them.

The condenser is installed inside the corpus, this means the heat extraction happens at the sides and at the top of the cooler. That's why it's crucial to let these units stand freely.



OPENED BOTTLES STORAGE

Home series offers a unique feature to store opened bottles in the wine fridges in standing position. The front part of the unit is designed for standing bottle storage.



WIFI + SMART APP

Experience unparalleled convenience and control with our wine fridge's advanced WiFi and smart app functionality. Whether you're at home, work, or on the go, stay connected to your wine collection like never before, ensuring every bottle is perfectly chilled and ready to enjoy whenever the moment strikes.



YACHT & SHIP INSTALLATIONS

Indulge in the luxury of perfectly chilled wines at sea with our state-of-the-art wine fridges aboard cruise ships. Designed to preserve the delicate flavors and aromas of your favorite vintages, our sleek and efficient wine fridges ensure that every sip is as delightful as the first. Elevate your onboard experience with the convenience and sophistication of expertly stored wines, enhancing every moment of your voyage.




DUNAVOX RANGES



DUNAVOX NOBLE, HORIZON, BALANCE
Fully integrated Push-to-open range

DUNAVOX PRIME, SPIRIT, JOY
Fully integrated with-handle range



DUNAVOX FLOW
Undercounter range



DUNAVOX GRANDE
High bottle capacity range



DUNAVOX SERA
Champagne, Prosecco, Cava range



DUNAVOX HOME
Anywhere with you



DUNAVOX NOBLE, HORIZON, BALANCE

Fully integrated, push-to-open range

DUNAVOX NOBLE, HORIZON, BALANCE



KEY FEATURES

PUSH-TO-OPEN

Gently push the door to access the bottles inside, in keeping with the handleless kitchen trend.



TFT TOUCH SCREEN

The latest technology in home appliances, swipe through the settings menu just like your mobile phone; change settings from your mobile phone and set the temperature with the full colour screen.

• DUNAVOX NOBLE range



LCD TOUCH SCREEN

Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.

• DUNAVOX HORIZON range

*except DUNAVOX HORIZON-32.TO and HORIZON-114.TO



LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.

• DUNAVOX BALANCE range



WIFI + SMART APP

Experience unparalleled convenience and control with our wine fridge's advanced WiFi and smart app functionality. Whether you're at home, work, or on the go, stay connected to your wine collection like never before, ensuring every bottle is perfectly chilled and ready to enjoy whenever the moment strikes.

• DUNAVOX NOBLE, HORIZON range

*except DUNAVOX HORIZON-32.TO and HORIZON-114.TO

INTEGRATED VENTILATION SYSTEM

Simple to install without a plinth vent; allowing integrated coolers to be installed undercounter, maintaining the lines of the kitchen.

• DUNAVOX NOBLE, HORIZON range



TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.

*except DUNAVOX HORIZON-32.TO and HORIZON-114.TO



MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.



Integrated ventilation system

FULLY INTEGRATED INSTALLATION

• 455 – 1784mm standard height models

• width varies between 590-650mm

3


THREE YEAR WARRANTY

Parts & labour


+2 years for compressor




Integrated Ventilation



VARIOUS DOOR/ FINISH OPTIONS



Integrated ventilation system





45 CM HIGH	45 CM HIGH	60 CM HIGH	60 CM HIGH	72 CM HIGH
DVN-19.50B.TO DVH-19.50B.TO DVH-19.50SS.TO	DXB-24.51B.TO	DVN-25.65DB.TO DVH-25.65DB.TO DVH-25.65DSS.TO	DXB-26.69DB.TO	DAVG-32.80DB.TO DAVG-32.80DSS.TO DAVG-32.80DOP.TO



88 CM HIGH	88 CM HIGH	123 CM HIGH	123 CM HIGH	178 CM HIGH
DVN-44.120DB.TO DVH-44.120DB.TO DVH-44.120DSS.TO	DXB-42.100DB.TO	DVN-70.185DB.TO DVH-70.185DB.TO DVH-70.185DSS.TO	DXB-65.154DB.TO	DAVG-114.288DB.TO DAVG-114.288DSS.TO DAVG-114.288DOP.TO

NOBLE-19.TO

Black full glass DVN-19.50B.TO EAN: 5999558435332




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	19
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	TFT touch screen - same as a smart phone -
Cooling zones	1
Cooling ranges	5-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	No
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	100 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	500x660x650
Product dimensions (HxWxD) in mm	455x590x569
Shelf	Telescopic wooden shelves
Noise level	37dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



NOBLE-25.TO

Black full glass DVN-25.65DB.TO EAN: 5999558435349




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	25
Type of opening	Push-to-open
Type of hinges	soft closing Hettich hinge
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	101 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	660x650x645
Product dimensions (HxWxD) in mm	596x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



NOBLE-44.TO

Black full glass DVN-44.120DB.TO EAN: 5999558435356




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	44
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	106 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	925x640x640
Product dimensions (HxWxD) in mm	882x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



NOBLE-70.TO

Black full glass DVN-70.185DB.TO EAN: 5999558435592





Installation type	Fully integrated
Bottle capacity (750mL Bordeaux bottles)	70
Type of opening	Push to open
Type of hinges	Soft closing Hettich hinge
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	112 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	1275x650x660
Product dimensions (HxWxD) in mm	1233x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



HORIZON-19.TO

Black full glass DVH-19.50B.TO EAN: 5999558435363
 Stainless steel DVH-19.50SS.TO EAN: 5999558435370
 Matt black DVH-19.50MB.TO EAN: 5999558436070
 RAL colour DVH-19.50C.TO EAN: 5999558436117

455
569
590




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	19
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	LCD touch screen
Cooling zones	1
Cooling ranges	5-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	No
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	100 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	500x660x650
Product dimensions (HxWxD) in mm	455x590x569
Shelf	Telescopic wooden shelves
Noise level	37dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



HORIZON-25.TO

Black full glass DVH-25.65DB.TO EAN: 5999558435387
 Stainless steel DVH-25.65DSS.TO EAN: 5999558435394
 Matt black DVH-25.65DMB.TO EAN: 5999558436087
 RAL colour DVH-25.65DC.TO EAN: 5999558436124

596
571
590




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	25
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10°C // 10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	101 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	660x650x645
Product dimensions (HxWxD) in mm	596x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



HORIZON-32.TO

Black full glass DAVG-32.80DB.TO EAN: 5999558434403
 Stainless steel DAVG-32.80DSS.TO EAN: 5999558434410
 Overlay pabel DAVG-32.80DOP.TO EAN: 5999558434991
 Matt black DAVG-32.80DMB.TO EAN: 5999558436230
 RAL colour DAVG-32.80DC.TO EAN: 5999558436247

715
559
590





Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	32
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20°C // 5-20°C
Operating instructions	Same temperature can be set in both zones
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	G
Power consumption	133 kWh/a
Rated power	220-240V, 50Hz, 1,2A
Gross dimensions (HxWxD) in mm	810x660x660
Product dimensions (HxWxD) in mm	715x590x559
Shelf	Sliding wooden shelves
Noise level	39dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor



HORIZON-44.TO

Black full glass DVH-44.120DB.TO EAN: 5999558435400
 Stainless steel DVH-44.120DSS.TO EAN: 5999558435417
 Matt black DVH-44.120DMB.TO EAN: 5999558436094
 RAL colour DVH-44.120DC.TO EAN: 5999558436131

882
571
590



Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	44
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10°C // 10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	106 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	925x640x640
Product dimensions (HxWxD) in mm	882x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor




HORIZON-70.TO

Black full glass DVH-70.185DB.TO EAN: 5999558435608
 Stainless steel DVH-70.185DSS.TO EAN: 5999558435615
 Matt black DVH-70.185DMB.TO EAN: 5999558436100
 RAL colour DVH-70.185DC.TO EAN: 5999558436148



1233
 571
 590



	Installation type	Fully integrated
	Bottle capacity (750mL Bordeaux bottles)	70
	Type of opening	Push-to-open
	Type of hinges	Soft closing Hettich hinge
	Display type	LCD touch screen
	Cooling zones	2
	Cooling ranges	5-10° C // 10-18° C
	Operating instructions	Champagne bottle fit in between shelves
	Heater	Yes
	Installation requirements	Integrated ventilation system
	Energy class	F
	Power consumption	112 kWh/a
	Rated power	220-240V, 50Hz, 0,6A
	Gross dimensions (HxWxD) in mm	1275x650x660
	Product dimensions (HxWxD) in mm	1233x590x571
	Shelf	Telescopic wooden shelves
	Noise level	36dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 2 layers of glass + Low-E, reversible
	Interior light	Multi LED light (white, amber, blue)
	Wifi + Smart App	Yes
	Warranty	3 years parts and labour + 2 years for compressor



HORIZON-114.TO

Black full glass DAVG-114.288DB.TO EAN: 5999558434465
 Stainless steel DAVG-114.288DSS.TO EAN: 5999558434472
 Overlay pabel DAVG-114.288DOP.TO EAN: 5999558435028
 Matt black DAVG-114.288DMB.TO EAN: 5999558436254
 RAL colour DAVG-114.288DC.TO EAN: 5999558436261



1784
 559
 590




	Installation type	Fully integrated
	Bottle capacity (750mL Bordeaux bottles)	114
	Type of opening	Push-to-open
	Type of hinges	Soft closing Hettich hinge
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-20° C // 5-20° C
	Operating instructions	Same temperature can be set in both zones
	Heater	Yes
	Installation requirements	Integrated ventilation system
	Energy class	G
	Power consumption	167 kWh/a
	Rated power	220-240V, 50Hz, 1,2A
	Gross dimensions (HxWxD) in mm	1990x660x660
	Product dimensions (HxWxD) in mm	1784x590x559
	Shelf	Sliding wooden shelves
	Noise level	36dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Multi LED light (white, amber, blue)
	Wifi + Smart App	No
	Warranty	3 years parts and labour + 2 years for compressor




FULLY INTEGRATED

Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop. (Only Horizon, Prime, Noble and Spirit product ranges)




UNDERCOUNTER

Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop. (Only Horizon, Prime, Noble and Spirit product ranges)




BALANCE-24.TO

Black full glass DXB-24.51B.TO EAN: 5999558435424



453
555
590




Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	24
Type of opening	Push to open
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	1
Cooling ranges	5-20° C
Operating instructions	Champagne bottle fit in between shelves
Heater	No
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	118 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	550x660x670
Product dimensions (HxWxD) in mm	453x590x555
Shelf	Telescopic wooden shelves
Noise level	39dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor




BALANCE-26.TO

Black full glass DXB-26.69DB.TO EAN: 5999558435431



590
565
590



Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	26
Type of opening	Push to open
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	10-20° C // 5-12° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	124 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	690x660x670
Product dimensions (HxWxD) in mm	590x590x565
Shelf	Telescopic wooden shelves
Noise level	38dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor




BALANCE-42.TO

Black full glass DXB-42.100DB.TO EAN: 5999558435448



885
555
590




Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	42
Type of opening	Push to open
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20° C // 5-20° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	126 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	980x660x670
Product dimensions (HxWxD) in mm	885x590x555
Shelf	Telescopic wooden shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor




BALANCE-65.TO

Black full glass DXB-65.154DB.TO EAN: 5999558435455



1231
565
590



Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	65
Type of opening	Push to open
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20° C // 5-20° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	149 kWh/a
Rated power	220-240V, 50Hz, 0,7A
Gross dimensions (HxWxD) in mm	1445x680x690
Product dimensions (HxWxD) in mm	1231x590x565
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor



DUNAVOX PRIME, SPIRIT, JOY

Fully integrated with-handle range

DUNAVOX PRIME, SPIRIT, JOY



KEY FEATURES

DOOR HANDLE

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.



TFT TOUCH SCREEN

The latest technology in home appliances, swipe through the settings menu just like your mobile phone; change settings from your mobile phone and set the temperature with the full colour screen.

• DUNAVOX PRIME range



LCD TOUCH SCREEN

Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.

• DUNAVOX SPIRIT range



LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.

• DUNAVOX JOY range



WIFI + SMART APP

Experience unparalleled convenience and control with our wine fridge's advanced WiFi and smart app functionality. Whether you're at home, work, or on the go, stay connected to your wine collection like never before, ensuring every bottle is perfectly chilled and ready to enjoy whenever the moment strikes.

• DUNAVOX PRIME, SPIRIT range

INTEGRATED VENTILATION SYSTEM

Simple to install without a plinth vent; allowing integrated coolers to be installed undercounter, maintaining the lines of the kitchen.

• DUNAVOX PRIME, SPIRIT range



TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.



MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.

• PRIME, SPIRIT, JOY range
*except DUNAVOX JOY-89




FULLY INTEGRATED INSTALLATION

- 455 – 1788mm standard height models
- width varies between 590-595mm

3

THREE YEAR WARRANTY
Parts & labour
+2 years for compressor



VARIOUS DOOR/ FINISH OPTIONS



45 CM HIGH

DVP-19.50B
DVS-19.50B
DVS-19.50SS




45 CM HIGH

DXJ-24.51B



60 CM HIGH

DVP-25.65DB
DVS-25.65DB
DVS-25.65DSS



60 CM HIGH

DXJ-26.69DB

Integrated ventilation system



88 CM HIGH

DVP-44.120DB
DVS-44.120DB
DVS-44.120DSS



88 CM HIGH

DXJ-42.100DB

Integrated ventilation system



123 CM HIGH

DVP-70.185DB
DVS-70.185DB
DVS-70.185DSS



123 CM HIGH

DXJ-65.154DB





178 CM HIGH

DX-89.246TB
DX-89.246TSS

PRIME-19

Black full glass DVP-19.50B EAN: 5999558435462





Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	19
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	TFT touch screen - same as a smart phone -
Cooling zones	1
Cooling ranges	5-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	No
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	100 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	500x660x650
Product dimensions (HxWxD) in mm	455x590x569
Shelf	Telescopic wooden shelves
Noise level	37dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



PRIME-25

Black full glass DVP-25.65DB EAN: 5999558435479




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	25
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	101 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	660x650x645
Product dimensions (HxWxD) in mm	596x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



PRIME-44

Black full glass DVP-44.120DB EAN: 5999558435486




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	44
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	106 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	925x640x640
Product dimensions (HxWxD) in mm	882x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



PRIME-70

Black full glass DVP-70.185DB EAN:5999558435622





Installation type	Fully integrated
Bottle capacity (750mL Bordeaux bottles)	70
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	112 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	1275x650x660
Product dimensions (HxWxD) in mm	1233x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



SPIRIT-19

Black full glass DVS-19.50B EAN: 5999558435493
 Stainless steel DVS-19.50SS EAN: 5999558435509
 Matt black DVS-19.50MB EAN: 5999558435998
 RAL colour DVS-19.50C EAN: 5999558436032





Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	19
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LCD touch screen
Cooling zones	1
Cooling ranges	5-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	No
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	100 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	500x660x650
Product dimensions (HxWxD) in mm	455x590x569
Shelf	Telescopic wooden shelves
Noise level	37dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



Scan me to know more:

SPIRIT-25

Black full glass DVS-25.65DB EAN: 5999558435516
 Stainless steel DVS-25.65DSS EAN: 5999558435523
 Matt black DVS-25.65DMB EAN: 5999558436001
 RAL colour DVS-25.65DC EAN: 5999558436049




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	25
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	101 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	660x650x645
Product dimensions (HxWxD) in mm	596x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



Scan me to know more:

SPIRIT-44

Black full glass DVS-44.120DB EAN: 5999558435530
 Stainless steel DVS-44.120DSS EAN: 5999558435547
 Matt black DVS-44.120DMB EAN: 5999558436018
 RAL colour DVS-44.120DC EAN: 5999558436056




Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles)	44
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	106 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	925x640x640
Product dimensions (HxWxD) in mm	882x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor



Scan me to know more:

SPIRIT-70

Black full glass DVS-70.185DB EAN: 5999558435639
 Stainless steel DVS-70.185DSS EAN: 5999558435646
 Matt black DVS-70.185DMB EAN: 5999558436025
 RAL colour DVS-70.185DC EAN: 5999558436063




Installation type	Fully integrated
Bottle capacity (750mL Bordeaux bottles)	70
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventilation system
Energy class	F
Power consumption	112 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	1275x650x660
Product dimensions (HxWxD) in mm	1233x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor




Scan me to know more:

JOY-24

Black full glass DXJ-24.51B EAN: 5999558435554



453
555
590



Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	24
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	1
Cooling ranges	5-20° C
Operating instructions	Champagne bottle fit in between shelves
Heater	No
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	118 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	550x660x670
Product dimensions (HxWxD) in mm	453x590x555
Shelf	Telescopic wooden shelves
Noise level	39dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor




JOY-26

Black full glass DXJ-26.69DB EAN: 5999558435561



590
565
590



Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	26
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	10-20° C // 5-12° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	124 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	690x660x670
Product dimensions (HxWxD) in mm	590x590x565
Shelf	Telescopic wooden shelves
Noise level	38dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor




JOY-42

Black full glass DXJ-42.100DB EAN: 5999558435578



885
555
590




Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	42
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20° C // 5-20° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	126 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	980x660x670
Product dimensions (HxWxD) in mm	885x590x555
Shelf	Telescopic wooden shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor




JOY-65

Black full glass DXJ-65.154DB EAN: 5999558435585



1231
565
590




Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottles)	65
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20° C // 5-20° C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventilation is needed
Energy class	G
Power consumption	149 kWh/a
Rated power	220-240V, 50Hz, 0,7A
Gross dimensions (HxWxD) in mm	1445x680x690
Product dimensions (HxWxD) in mm	1231x590x565
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor



JOY-89

Black full glass DX-89.246TB EAN: 5999558433444
 Stainless steel DX-89.246TSS EAN: 5999558432690
 Matt black DX-89.246TMB EAN: 5999558436278
 RAL colour DX-89.246TC EAN: 5999558436285




	Installation type	Built-in only
	Bottle capacity (750mL Bordeaux bottles)	100
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	3
	Cooling ranges	5-18° C // 5-10° C // 10-18° C
	Operating instructions	Champagne bottle fit in between shelves
	Heater	Yes
	Installation requirements	Front and rear ventilation is needed
	Energy class	G
	Power consumption	162 kWh/a
	Rated power	220-240V, 50Hz, 0,8A
	Gross dimensions (HxWxD) in mm	1865x655x660
	Product dimensions (HxWxD) in mm	1786x595x559
	Shelf	Telescopic wooden shelves
	Noise level	38dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 2 layers of glass + Low-E, reversible
	Interior light	White
	Wifi + Smart App	No
	Warranty	3 years parts and labour + 2 years for compressor

100
 Handle
 38dB
 5-18°C
 5-10°C
 10-18°C




FULLY INTEGRATED

Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop. (Only Horizon, Prime, Noble and Spirit product ranges)



UNDERCOUNTER

Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop. (Only Horizon, Prime, Noble and Spirit product ranges)




DUNAVOX FLOW

The undercounter range



DUNAVOX FLOW



UNDERCOUNTER INSTALLATION

- 820 – 880mm standard height models
- width varies between 160-600mm

3

THREE YEAR WARRANTY
Parts & labour
+2 years for compressor

Front grille ventilation: MUST be plinth vented



15 CM WIDE

DAUF-9.22B
DAUF-9.22SS

30 CM WIDE

DAUF-17.58DB
DAUF-17.58DSS
DAUF-17.58DBH
DAUF-19.58B
DAUF-19.58SS

40 CM WIDE

DAUF-32.83B
DAUF-32.83SS
DAUF-32.78DB
DAUF-32.78DSS

50 CM WIDE

DAUF-38.100DB
DAUF-38.100DSS
DAUF-38.100DB.TO

KEY FEATURES


PUSH-TO-OPEN

Gently push the door to access the bottles inside, in keeping with the handleless kitchen trend.



LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.



LCD TOUCH SCREEN

Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.



FRONT GRILLE VENTILATION


The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly.

If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.



VARIOUS DOOR/ FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style or colour.



HIDDEN HANDLE DOOR

In keeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.



DOOR HANDLE

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.



60 CM WIDE

DAUF-39.121DB
DAUF-39.121DSS

60 CM WIDE

DAUF-39.119DB.TO
DAUF-39.119.DOP.TO

60 CM WIDE

DAUF-45.125DB.TO
DAUF-45.125DSS.TO
DAUF-45.125DOP.TO

60 CM WIDE

DAUF-46.138B
DAUF-46.138SS

60 CM WIDE


DAUF-46.145DB
DAUF-46.145DSS

60 CM WIDE

DAUF-46.145DBH

FLOW-9

Black full glass DAUF-9.22B EAN: 5999558434755
 Stainless steel DAUF-9.22SS EAN: 5999558434762
 Matt black DAUF-9.22MB EAN: 5999558435721
 RAL colour DAUF-9.22C EAN: 5999558435738




	Installation type	Undercounter
	Bottle capacity (750mL Bordeaux bottles)	9 (7 lying, 2 standing)
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	1
	Cooling ranges	5-20° C
	Operating instructions	Only Bordeaux bottle fits to the unit
	Heater	No
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	106 kWh/a
	Rated power	220-240V, 50hz, 0,4A
	Gross dimensions (HxWxD) in mm	845x185x580mm
	Product dimensions (HxWxD) in mm	820x150x525mm
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Fixed wooden shelves
	Noise level	38dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers, reversible
	Interior light	White LED light
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-17

Black full glass DAUF-17.58DB EAN: 5999558434656
 Stainless steel DAUF-17.58DSS EAN: 5999558434670
 Matt black DAUF-17.58DMB EAN: 5999558435745
 RAL colour DAUF-17.58DC EAN: 5999558435752




	Installation type	Undercounter
	Bottle capacity (750mL Bordeaux bottles)	17
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Lower zone can store 2 standing bottles by shelf swap
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	135 kWh/a
	Rated power	220-240V, 50Hz, 0,65A
	Gross dimensions (HxWxD) in mm	855x330x635
	Product dimensions (HxWxD) in mm	815x295x566
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Sliding wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers, reversible
	Interior light	Blue LED light
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-17H

Black full glass DAUF-17.58DBH EAN: 5999558435653





	Installation type	Undercounter
	Bottle capacity (750mL Bordeaux bottles)	17
	Type of opening	Hidden handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Lower zone can store 2 standing bottles by shelf swap
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	135 kWh/a
	Rated power	220-240V, 50Hz, 0,65A
	Gross dimensions (HxWxD) in mm	855x330x635
	Product dimensions (HxWxD) in mm	815x295x566
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Sliding wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers, reversible
	Interior light	Blue LED light
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-19

Black full glass DAUF-19.58B EAN: 5999558434687
 Stainless steel DAUF-19.58SS EAN: 5999558434694
 Matt black DAUF-19.58MB EAN: 5999558435769
 RAL colour DAUF-19.58C EAN: 5999558435776




	Installation type	Undercounter
	Bottle capacity (750mL Bordeaux bottles)	19
	Type of opening	Handle, reversible
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	1
	Cooling ranges	5-20° C
	Operating instructions	-
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	118 kWh/a
	Rated power	220-240V, 50Hz, 0,7A
	Gross dimensions (HxWxD) in mm	855x330x635
	Product dimensions (HxWxD) in mm	815x295x566
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Sliding wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers, reversible
	Interior light	Blue LED light
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-32

Black full glass DAUF-32.83B EAN: 5999558434700
 Stainless steel DAUF-32.83SS EAN: 5999558434717
 Matt black DAUF-32.83MB EAN: 5999558435783
 RAL colour DAUF-32.83C EAN: 5999558435790




	Installation type	Undercounter or freestanding
	Bottle capacity (750mL Bordeaux bottles)	32
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	1
	Cooling ranges	5-18°C
	Operating instructions	-
	Heater	No
	Installation requirements	Front plinth ventilation
	Energy class	F
	Power consumption	100 kWh/a
	Rated power	220-240V, 50Hz, 0,5A
	Gross dimensions (HxWxD) in mm	845x415x625
	Product dimensions (HxWxD) in mm	825x380x563
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Wooden shelves with rails
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 2 layers and Low-E coating, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-32D

Black full glass DAUF-32.78DB EAN: 5999558434861
 Stainless steel DAUF-32.78DSS EAN: 5999558434878
 Matt black DAUF-32.78DMB EAN: 5999558435806
 RAL colour DAUF-32.78DC EAN: 5999558435813





	Installation type	Undercounter or freestanding
	Bottle capacity (750mL Bordeaux bottles)	32
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	10-18°C // 5-10°C
	Operating instructions	-
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	125 kWh/a
	Rated power	220-240V, 50Hz, 0,5A
	Gross dimensions (HxWxD) in mm	845x415x625
	Product dimensions (HxWxD) in mm	825x380x563
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Wooden shelves with rails
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 2 layers + Low-E coating
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-38

Black full glass DAUF-38.100DB EAN: 5999558435035
 Stainless steel DAUF-38.100DSS EAN: 5999558435042
 Matt black DAUF-38.100DMB EAN: 5999558435820
 RAL colour DAUF-38.100DC EAN: 5999558435837




	Installation type	Undercounter or freestanding
	Bottle capacity (750mL Bordeaux bottles)	38
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-20°C // 5-20°C
	Operating instructions	Same temperature can be set in both zones
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	141 kWh/a
	Rated power	220-240V, 50Hz, 1,2A
	Gross dimensions (HxWxD) in mm	880x560x660
	Product dimensions (HxWxD) in mm	820x495x575
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Sliding wooden shelves
	Noise level	40dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-38.TO

Black full glass DAUF-38.100DB.TO EAN: 5999558435059




	Installation type	Undercounter or freestanding
	Bottle capacity (750mL Bordeaux bottles)	38
	Type of opening	Push to open
	Type of hinges	Soft closing Hettich hinge
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-20°C // 5-20°C
	Operating instructions	Same temperature can be set in both zones
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	141 kWh/a
	Rated power	220-240V, 50Hz, 1,2A
	Gross dimensions (HxWxD) in mm	940x560x660
	Product dimensions (HxWxD) in mm	880x495x575
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Sliding wooden shelf
	Noise level	40dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-39

Black full glass DAUF-39.121DB EAN: 5999558434724
 Stainless steel DAUF-39.121DSS EAN: 5999558434731
 Matt black DAUF-39.121DMB EAN: 5999558435844
 RAL colour DAUF-39.121DC EAN: 5999558435851




Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordeaux bottles)	39
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-10° C // 10-18° C
Operating instructions	-
Heater	Yes
Installation requirements	Front plinth ventilation
Energy class	F
Power consumption	103 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	870x655x665
Product dimensions (HxWxD) in mm	822x595x560
Feet	Adjustable between 10-70mm* height varies between models
Shelf	Wooden shelves with rails
Noise level	38 dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected + 2 layers + Low-E coating
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor



FLOW-39.TO

Black full glass DAUF-39.119DB.TO EAN: 5999558435677
 Overlay panel DAUF-39.119DOP.TO EAN: 5999558436315




Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordeaux bottles)	39
Type of opening	Push to open
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20° C // 5-20° C
Operating instructions	The temperature of both zones can be adjusted independently
Heater	Yes
Installation requirements	Front plinth ventilation
Energy class	G
Power consumption	127 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	885x660x655
Product dimensions (HxWxD) in mm	822x595x560
Feet	Adjustable between 10-70mm* height varies between models
Shelf	Telescopic wooden shelves
Noise level	38dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers + Low-E coating, reversible
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor



FLOW-45

Black full glass DAUF-45.125DB.TO EAN: 5999558434540
 Stainless steel DAUF-45.125DSS.TO EAN: 5999558434557
 Overlay panel DAUF-45.125DOP.TO EAN: 5999558435011
 Matt black DAUF-45.125DMB.TO EAN: 5999558436292
 RAL colour DAUF-45.125DC.TO EAN: 5999558436308




Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordeaux bottles)	45
Type of opening	Push to open
Type of hinges	Soft closing Hettich hinge
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20° C // 5-20° C
Operating instructions	Same temperature can be set in both zones
Heater	Yes
Installation requirements	Front plinth ventilation
Energy class	F
Power consumption	115 kWh/a
Rated power	220-240V, 50Hz, 1,2A
Gross dimensions (HxWxD) in mm	940x660x660
Product dimensions (HxWxD) in mm	880x595x580
Feet	Adjustable between 10-70mm* height varies between models
Shelf	Wooden shelves with rails
Noise level	36dB
Low vibration	yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected + 3 layers, reversible
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor



FLOW-46

Black full glass DAUF-46.138B EAN: 5999558434748
 Stainless steel DAUF-46.138SS EAN: 5999558434885
 Matt black DAUF-46.138MB EAN: 5999558435868
 RAL colour DAUF-46.138C EAN: 5999558435875




Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordeaux bottles)	46
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	1
Cooling ranges	5-18° C
Operating instructions	-
Heater	No
Installation requirements	Front plinth ventilation
Energy class	G
Power consumption	130 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in mm	870x655x665
Product dimensions (HxWxD) in mm	822x595x560
Feet	Adjustable between 10-70mm* height varies between models
Shelf	Wooden shelves with rails
Noise level	39dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected + 2 layers + Low-E coating
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor



FLOW-46D

Black full glass DAUF-46.145DB EAN: 5999558434892
 Stainless steel DAUF-46.145DSS EAN: 5999558434908
 Matt black DAUF-46.145DMB EAN: 5999558435264
 RAL colour DAUF-46.145DC EAN: 5999558435882





	Installation type	Undercounter or freestanding
	Bottle capacity (750mL Bordeaux bottles)	46
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LCD touch screen
	Cooling zones	2
	Cooling ranges	5-12°C // 12-20°C
	Operating instructions	-
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	155 kWh/a
	Rated power	220-240V, 50Hz, 0,4A
	Gross dimensions (HxWxD) in mm	874x660x625
	Product dimensions (HxWxD) in mm	820x595x585
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Telescopic wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers of glass, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



FLOW-46H

Black full glass DAUF-46.145DBH EAN: 5999558435660



	Installation type	Undercounter or freestanding
	Bottle capacity (750mL Bordeaux bottles)	46
	Type of opening	Hidden handle
	Type of hinges	Regular (Pivot)
	Display type	LCD touch screen
	Cooling zones	2
	Cooling ranges	5-12°C // 12-20°C
	Operating instructions	-
	Heater	Yes
	Installation requirements	Front plinth ventilation
	Energy class	G
	Power consumption	155 kWh/a
	Rated power	220-240V, 50Hz, 0,4A
	Gross dimensions (HxWxD) in mm	874x660x625
	Product dimensions (HxWxD) in mm	820x595x585
	Feet	Adjustable between 10-70mm* height varies between models
	Shelf	Telescopic wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected + 3 layers of glass, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



DUNAVOX GRANDE

High bottle capacity range

DUNAVOX GRANDE



INTEGRATED INSTALLATION

- high storage capacity
- it can also be used free standing

3

THREE YEAR WARRANTY
Parts & labour
+2 years for compressor



120 CM HIGH
DX-94.270DBK



120 CM HIGH
DX-94.270SDSK



167 CM HIGH
DX-108.330DB
DX-108.330DSS



177 CM HIGH
DX-166.428DBK
DX-166.428SDSK



177 CM HIGH
DX-181.490DBK
DX-181.490SDSK



183 CM HIGH
DX-194.490BK
DX-194.490SSK

KEY FEATURES

SINGLE AND DUAL TEMPERATURE ZONES

Dunavox wine coolers are available with one or two cooling zones. Configuring the desired temperature is easy at single, dual or even three cooling zone wine coolers.



TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.



LED TOUCH SCREEN


The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.



FRONT GRILLE VENTILATION


The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly.

If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.




VARIOUS DOOR/ FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style or colour.



INTEGRATED DOOR LOCK

Child-safe lock prevents unauthorized access to contents and temperature controls; suitable for either home or commercial restaurant use. All lockable wine coolers will lock from the bottom (REMOVE and use regular padlock style keys to keep the wines secure). Most wine coolers will come with two keys and most wine cabinet owners will opt to carry one and keep another in a safe place in their home.



HIDDEN HANDLE DOOR

In keeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.




DOOR HANDLE

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.



GRANDE-94

Black full glass DX-94.270DBK EAN: 5999558431563




	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	94
	Type of opening	Hidden handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	Yes
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	159 kWh/a
	Rated power	220-240V, 50Hz, 0,86A
	Gross dimensions (HxWxD) in mm	1260x660x760
	Product dimensions (HxWxD) in mm	1220x595x680
	Shelf	Telescopic wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Blue LED light
	Wifi	No
	Warranty	3 years parts and labour + 2 years for compressor



GRANDE-94

Stainless steel DX-94.270SDSK EAN: DX-94.270SDSK
 Matt black DX-94.270DMBK EAN: 5999558435899
 RAL colour DX-94.270DCK EAN: 5999558435943




	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	94
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	Yes
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	159 kWh/a
	Rated power	220-240V, 50Hz, 0,86A
	Gross dimensions (HxWxD) in mm	1260x660x760
	Product dimensions (HxWxD) in mm	1220x595x680
	Shelf	Telescopic wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Blue LED light
	Wifi	No
	Warranty	3 years parts and labour + 2 years for compressor



GRANDE-108

Black full glass DX-108.330DB EAN: 5999558435684
 Stainless steel DX-108.330DSS EAN: 5999558435691
 Matt black DX-108.330DMB EAN: 5999558435905
 RAL colour DX-108.330DC EAN: 5999558435950



	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	108
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	Yes
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	155 kWh/a
	Rated power	220-240V, 50Hz, 1,3A
	Gross dimensions (HxWxD) in mm	1905x660x745
	Product dimensions (HxWxD) in mm	1670x595x580
	Shelf	Telescopic wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	RGB side light
	Wifi	No
	Warranty	3 years parts and labour + 2 years for compressor




GRANDE-166

Black full glass DX-166.428DBK EAN: 5999558431648
 Stainless steel DX-166.428SDSK EAN: 5999558432034
 Matt black DX-166.428DMBK EAN: 5999558435912
 RAL colour DX-166.428DCK EAN: 5999558435967




	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	166
	Type of opening	Black: hidden handle, SS: handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	Yes
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	146 kWh/a
	Rated power	220-240V, 50Hz, 1,3A
	Gross dimensions (HxWxD) in mm	1905x660x745
	Product dimensions (HxWxD) in mm	1770x595x680
	Shelf	Telescopic wooden shelves
	Noise level	39dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Blue LED light
	Wifi	No
	Warranty	3 years parts and labour + 2 years for compressor



GRANDE-181

Black full glass DX-181.490DBK EAN: 5999558431631
 Stainless steel DX-181.490SDSK EAN: 5999558431969
 Matt black DX-181.490DMBK EAN: 5999558435929
 RAL colour DX-181.490DCK EAN: 5999558435974




	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	181
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	Yes
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	197 kWh/a
	Rated power	220-240V, 50Hz, 1,1 A
	Gross dimensions (HxWxD) in mm	1970x700x745
	Product dimensions (HxWxD) in mm	1835x655x680
	Shelf	Telescopic wooden shelves
	Noise level	40dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Blue LED light
	Wifi	No
	Warranty	3 years parts and labour + 2 years for compressor



GRANDE-194

Black full glass DX-194.490BK EAN: 5999558431945
 Stainless steel DX-194.490SSK EAN: 5999558431952
 Matt black DX-194.490MBK EAN: 5999558435936
 RAL colour DX-194.490CK EAN: 5999558435981



	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	183
	Type of opening	Handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	1
	Cooling ranges	5-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	Yes
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	179 kWh/a
	Rated power	220-240V, 50Hz, 1,1 A
	Gross dimensions (HxWxD) in mm	1970x700x745
	Product dimensions (HxWxD) in mm	1835x655x680
	Shelf	Telescopic wooden shelves
	Noise level	40dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Blue LED light
	Wifi	No
	Warranty	3 years parts and labour + 2 years for compressor



DUNAVOX SERA

Champagne, Prosecco, Cava



DUNAVOX SERA

KEY FEATURES

SINGLE AND DUAL TEMPERATURE ZONES

Dunavox wine coolers are available with one or two cooling zones. Configuring the desired temperature is easy at single, dual or even three cooling zone wine coolers.




LABEL VIEW SHELVES

Designed specifically for larger bottles, the optimal distance between the shelves fits comfortably with the champagne & prosecco bottles. Bottles are supported on patented display shelves. Bottle capacity and shelf distance is based on standard shaped champagne bottles, dimensions listed above (750ml 310x85mm).



VARIOUS DOOR/ FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style or colour.



MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.



LED TOUCH SCREEN

LED display allows a quick and easy use to set and check the desired temperature.



HIDDEN HANDLE DOOR

In keeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.



YACHT & SHIP INSTALLATIONS


Indulge in the luxury of perfectly chilled wines at sea with our state-of-the-art wine fridges aboard cruise ships. Designed to preserve the delicate flavors and aromas of your favorite vintages, our sleek and efficient wine fridges ensure that every sip is as delightful as the first. Elevate your onboard experience with the convenience and sophistication of expertly stored wines, enhancing every moment of your voyage.



FRONT GRILLE VENTILATION

The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly.

If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.



3

THREE YEAR WARRANTY
Parts & labour
+2 year for compressor



80 CM HIGH

DAUF-40.138B
DAUF-40.138SS



120 CM HIGH

DX-58.258DB
DX-58.258DSS



120 CM HIGH

DX-70.258B
DX-70.258SS




180 CM HIGH

DX-143.468B
DX-143.468SS

SERA-40

Black full glass DAUF-40.138B EAN: 5999558433482
 Stainless steel DAUF-40.138SS EAN: 5999558433499
 Matt black DAUF-40.138MB EAN: 5999558436155
 RAL colour DAUF-40.138C EAN: 5999558436193




	Installation type	Undercounter only
	Bottle capacity (750mL Bordeaux bottles)	40
	Unique bottle placement	Champagne, cava, prosecco
	Type of opening	Black: hidden handle, SS: handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	1
	Cooling ranges	5-20° C
	Operating instructions	Unit must be fixed to the counter otherwise it tips over
	Heater	No
	Installation requirements	Front grille ventilation
	Energy class	E
	Power consumption	83 kWh/a
	Rated power	220-240V, 50Hz 0,85A
	Gross dimensions (HxWxD) in mm	880x660x625
	Product dimensions (HxWxD) in mm	813x595x570
	Shelf	Telescopic metal shelves
	Noise level	38dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



SERA-70

Black full glass DX-70.258B EAN: 5999558435172
 Stainless steel DX-70.258SS EAN: 5999558435189
 Matt black DX-70.258MB EAN: 5999558436179
 RAL colour DX-70.258C EAN: 5999558436216




	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	70
	Unique bottle placement	Champagne, cava, prosecco
	Type of opening	Black: hidden handle, SS: handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	1
	Cooling ranges	5-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	No
	Installation requirements	Front grille ventilation
	Energy class	F
	Power consumption	111 kWh/a
	Rated power	220-240V, 50Hz 0,85A
	Gross dimensions (HxWxD) in mm	1260x660x745
	Product dimensions (HxWxD) in mm	1220x595x680
	Shelf	Telescopic metal shelves
	Noise level	38dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



SERA-58

Black full glass DX-58.258DB EAN: 5999558435158
 Stainless steel DX-58.258DSS EAN: 5999558435165
 Matt black DX-58.258DMB EAN: 5999558436162
 RAL colour DX-58.258DC EAN: 5999558436209





	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	58
	Unique bottle placement	Champagne, cava, prosecco
	Type of opening	Black: hidden handle, SS: handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	2
	Cooling ranges	5-12° C // 12-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	No
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	128 kWh/a
	Rated power	220-240V, 50Hz 0,85A
	Gross dimensions (HxWxD) in mm	1260x660x745
	Product dimensions (HxWxD) in mm	1220x595x680
	Shelf	Telescopic metal shelves
	Noise level	40dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor




SERA-143

Black full glass DX-143.468B EAN: 5999558432645
 Stainless steel DX-143.468SS EAN: 5999558432638
 Matt black DX-143.468MB EAN: 5999558436186
 RAL colour DX-143.468C EAN: 5999558436223



	Installation type	Freestanding or built-in
	Bottle capacity (750mL Bordeaux bottles)	143
	Unique bottle placement	Champagne, cava, prosecco
	Type of opening	Black: hidden handle, SS: handle
	Type of hinges	Regular (Pivot)
	Display type	LED touch screen
	Cooling zones	1
	Cooling ranges	5-20° C
	Operating instructions	Can be built-in, do not cover front grill
	Heater	No
	Installation requirements	Front grille ventilation
	Energy class	G
	Power consumption	162 kWh/a
	Rated power	220-240V, 50Hz 1,3A
	Gross dimensions (HxWxD) in mm	1970x700x745
	Product dimensions (HxWxD) in mm	1835x655x680
	Shelf	Telescopic metal shelves
	Noise level	40dB
	Low vibration	Yes
	Cooling type	Fan assisted cooling, compressor
	Glass door	UV protected, 3 layers of glass, reversible
	Interior light	Multi LED light (white, amber, blue)
	Warranty	3 years parts and labour + 2 years for compressor



DUNAVOX HOME

Anywhere with you



DUNAVOX HOME

KEY FEATURES

HIDDEN HANDLE DOOR

Sleek handle-less design with a discreetly installed hidden handle.



LED TOUCH SCREEN


The built-in display is easy to use and provides quick feedback on the temperature of the wines.

* except HOME-48



OUTDOOR PLACEMENT

Dunavox wine coolers are intended to use indoor, however if you follow a few conditions the units can also be used outdoors. Keep the fridge out of direct sunlight, and install it in a covered area protected from rain. Do not keep the unit outside when the ambient temperature fall below 18°C. (Lets cover ourselves, heating wise)



OPENED BOTTLES STORAGE

Home series offers a unique feature to store opened bottles in the wine fridges in standing position. The front part of the unit is designed for standing bottle storage.



INSTALLATION/ PLACEMENT

It's an easy to handle range. The capacity is on a wide scale from 16 to 50 bottles. These coolers can't be built-in or place under a counter. Only the freestanding installation is allowed because these coolers don't have a regular front grid where the ventilation can be done. For proper functioning the units require free space around them.

The condenser is installed inside the corpus, this means the heat extraction happens at the sides and at the top of the cooler. That's why it's crucial to let these units stand freely.



FREESTANDING

- standard door opening
- door is NOT REVERSIBLE

3

THREE YEAR WARRANTY

Parts & labour
+2 years for compressor



50 CM HIGH

DXFH-16.46



65 CM HIGH

DXFH-20.62



83 CM HIGH

DXFH-28.88



84 CM HIGH

DXFH-30.80



84 CM HIGH

DXFH-48.130



130 CM HIGH


DXFH-50.142

HOME-16

Black full glass DXFH-16.46 EAN: 5999558434786



FREESTANDING




15 40dB 4-18°C




Installation type	Freestanding installation only
Bottle capacity (750mL Bordeaux bottles)	15
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	LED touch screen
Cooling zones	1
Cooling ranges	4-18° C
Operating instructions	Suitable for storing bottles upright
Heater	No
Installation requirements	Freestanding
Energy class	G
Power consumption	134 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in mm	575x550x500
Product dimensions (HxWxD) in mm	515x430x480
Shelf	Wooden sliding shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Direct cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour + 2 years for compressor

HOME-28

Black full glass DXFH-28.88 EAN: 5999558434809



FREESTANDING



28 40dB 4-18°C



Installation type	Freestanding installation only
Bottle capacity (750mL Bordeaux bottles)	28
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	LED touch screen
Cooling zones	1
Cooling ranges	4-18° C
Operating instructions	Suitable for storing bottles upright
Heater	No
Installation requirements	Freestanding
Energy class	G
Power consumption	139 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in mm	895x570x505
Product dimensions (HxWxD) in mm	845x430x480
Shelf	Wooden sliding shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Direct cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour + 2 years for compressor

HOME-20

Black full glass DXFH-20.62 EAN: 5999558434793



FREESTANDING




20 40dB 4-18°C



Installation type	Freestanding installation only
Bottle capacity (750mL Bordeaux bottles)	20
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	LED touch screen
Cooling zones	1
Cooling ranges	4-18° C
Operating instructions	Suitable for storing bottles upright
Heater	No
Installation requirements	Freestanding
Energy class	G
Power consumption	136 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in mm	710x555x505
Product dimensions (HxWxD) in mm	660x430x480
Shelf	Wooden sliding shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Direct cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour + 2 years for compressor

HOME-30

Black full glass DXFH-30.80 EAN: 5999558434830



FREESTANDING



29 41dB 4-18°C



Installation type	Freestanding installation only
Bottle capacity (750mL Bordeaux bottles)	29
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	LED touch screen
Cooling zones	2
Cooling ranges	4-18° C // 4-18° C
Operating instructions	Temperature difference cannot exceed 6° C Suitable for storing bottles upright
Heater	Yes
Installation requirements	Freestanding
Energy class	G
Power consumption	138 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	905x555x545
Product dimensions (HxWxD) in mm	855x430x490
Shelf	Wooden sliding shelves
Noise level	41 dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour + 2 years for compressor

HOME-48

Black full glass DXFH-48.130 EAN: 5999558434847



FREESTANDING

Installation type	Freestanding installation only
Bottle capacity (750mL Bordeaux bottles)	48
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	Manual thermostat
Cooling zones	1
Cooling ranges	4-18°C
Operating instructions	There is no LED display Temperature can be set with a manual thermostat
Heater	No
Installation requirements	Freestanding
Energy class	G
Power consumption	144 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in mm	855x590x580
Product dimensions (HxWxD) in mm	845x550x570
Shelf	Wooden sliding shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Direct cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour + 2 years for compressor


48 40dB 4-18°C



DUNAVOX HOME

HOME-50

Black full glass DXFH-50.142 EAN: 5999558435714



FREESTANDING

ALSO CAN BE BUILT-IN

Installation type	Freestanding with a service channel
Bottle capacity (750mL Bordeaux bottles)	50
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	LED touch screen
Cooling zones	2
Cooling ranges	4-18°C // 4-18°C
Operating instructions	Proper ventilation above and around The unit provides possibility to built-in
Heater	Yes
Installation requirements	Freestanding with a service channel
Energy class	G
Power consumption	146 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	1370x555x545
Product dimensions (HxWxD) in mm	1295x480x470
Shelf	Wooden sliding shelves
Noise level	41 dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour + 2 years for compressor

50 41dB 4-18°C



TERMS AND CONDITIONS

Warranty:

All Dunavox products for domestic use are covered by a 24-month warranty, plus an additional one-year warranty and an additional 2-year warranty on the compressor. To obtain the additional warranty, you must register your purchase at www.dunavox.com within 30 days from the date of purchase.

Assistance:

Technical interventions under warranty are always piloted by Dunavox, which will organise them using the contracted technical assistance. In case of technical assistance fill the service registry form on your country specific Dunavox website. www.dunavox.com

General Terms and Conditions of Sale:

Prices: The displayed prices are recommended and non-binding. Taxes and transport are excluded.
Illustrations and descriptions: All measurements, prices and descriptions published in this catalogue may be changed or cancelled at any time and without notice, according to the technical and commercial needs of Dunavox without the possibility of claims by the purchaser.

Payments: Payments are only recognised as valid if made directly to the supplier. *Also in the case of old appropriate dispute, however, payments may not be suspended.

In case of delayed payments default interest based on local legislation rules is applicable.

Bank collection fees: Over due invoices, bank collection charges will be debited.

Transport: All units must be checked upon delivery. Any complaints about the quantity or quality of goods will only be accepted if made at the time of unloading and noted on the Transport Document.

Delivery terms: Delivery terms are purely indicative, no penalties for late delivery will be accepted. Some products may be temporarily out of stock, in which case it will be notified of the approximate date of delivery and/or the immediate availability of similar products.

Exchanges and returns: Returns of goods not previously authorised in writing by the supplier are not permitted.

If the defective goods are installed, no reimbursement will be made for the costs incurred for installation.

Deliveries: The supplier reserves the right to suspend deliveries in any case of non-compliance, including partial, of the purchaser to its obligations.

Place of Jurisdiction: The exclusive place of jurisdiction for all disputes is the supplier.

Manufacturer's Warranty: All products on sale are covered by the official manufacturer's warranty under the regulations, to the extent applicable. This warranty shall apply to product presenting conformity defects and/or malfunctions that could not be detected at the time of purchase. The warranty is personal and will therefore only apply to the original purchaser, being reserved for direct customers and not for traders and retailers. The warranty is 24 months from the actual date of purchase. Registering the product at www.dunavox.com within 30 days from the date of purchase will entitle you to an additional year's warranty and a total of 5 years' warranty on the compressor.

In any case, and therefore also for events for which any warranty shall be recognised, Dunavox shall not be liable for any damage suffered by the products contained in the wine cellars or the surrounding materials.

Read the instruction manual carefully and pay attention to the installation sheets.

Important:

WARNINGS: For the correct functioning of the built-in wine cellars in column (not self-ventilated), it is necessary to provide a front ventilation grille, a sanitary vacuum at the bottom of the cabinet and an outlet at the top of the cabinet for expelling hot air, in under-shelf wine cellars only a grille is required adequately sized ventilation front. In any case, always refer to the technical installation diagrams. Pay attention to the correct closing of the door in the cabinet and adjustment of the hinges. Adjusting the feet to level the cellar. Product measurements are in mm.

Dunavox disclaims all liability for any inaccuracies due to transcription errors or printing of this price list, which cancels and replaces the previous ones.

www.dunavox.com

info@dunavox.com



www.facebook.com/dunavoxglobal



www.instagram.com/dunavoxglobal



www.linkedin.com/company/dunavox